

CERCLA EXPANDED SITE INSPECTION

for

ROCKFORD SAND & GRAVEL ILO000034371

Rockford, Winnebago County, Illinois

Ву

Illinois Environmental Protection Agency
Bureau of Land
Office of Site Evaluation

April 17, 2002

TABLE OF CONTENTS

<u>Secti</u>	<u>on</u>	Page
1.	SITE BACKGROUND 1.1. INTRODUCTION 1.2 SITE DESCRIPTION 1.3 SITE HISTORY 1.4 REGULATORY STATUS	2 4
2.	SIP ACTIVITIES 2.1 RECONNAISSANCE ACTIVITIES 2.2 SAMPLING ACTIVITIES 2.3 KEY SAMPLES	6
3.	SITE SOURCES 3.1 CONTAMINATED LANDFILL	9
4.	MIGRATION PATHWAYS 4.1 GROUNDWATER PATHWAY. 4.2 SURFACE WATER PATHWAY. 4.3 AIR PATHWAY. 4.4 SOIL EXPOSURE PATHWAY.	11 . 12
5	ADDITIONAL RISK BASED OBJECTIVES 5.1 TIERED APPROACH TO CORRECTIVE ACTION OBJECTIVES (TACO)	15
6	BIBLIOGRAPHY	16

THE FOLLOWING TABLES AND FIGURES ARE LOCATED AT THE BACK OF THE REPORT:

Figure

- 1 STATE OF ILLINOIS LOCATION MAP
- 2 REGIONAL AREA TOPOGRAPHIC MAP
- 3 AERIAL PHOTOGRAPH
- 4 SAMPLING LOCATION MAP (Onsite Soil)
- 5 SAMPLING LOCATION MAP (Offsite Samples Groundwater and Background)
- 6 SAMPLING LOCATION MAP (1994 CERCLA Inspection)
- 7 SAMPLING LOCATION MAP (Background 1994 CERCLA Inspection)

Table

- 1 SOIL DESCRIPTION TABLE
- 2 SEDIMENT DESCRIPTION TABLE
- 3 GROUNDWATER DESCRIPTION TABLE
- 4 KEY SAMPLES TABLE (Soil)
- 5 KEY SAMPLES TABLE (Soil Tentatively Identified Compounds)
- 6 KEY SAMPLES TABLE (Sediment)
- 7 KEY SAMPLES TABLE (Sediment Tentatively Identified Compounds)
- 8 KEY SAMPLES TABLE (Residential wells)
- 9 SOIL/SEDIMENT DESCRIPTION TABLE (1994 CERCLA Inspection)
- 10 GROUNDWATER DESCRIPTION TABLE (1994 CERCLA Inspection)
- 11 KEY SAMPLES TABLE (1994 CERCA Inspection soil samples)
- 12 KEY SAMPLES TABLE (1994 CERCLA Inspection sediment samples)
- 13 KEY SAMPLES TABLE (1994 CERCLA Inspection groundwater samples)

Appendix

- A SITE 4-MILE RADIUS MAP
- B 15-MILE SURFACE WATER ROUTE MAP
- C TARGET COMPOUND LIST AND DATA QUALIFIERS
- D IEPA SITE PHOTOGRAPHS
- E ANALYTICAL RESULTS (Volume 2)

SITE BACKGROUND

1.1 INTRODUCTION

On September 26, 2000 the Illinois EPA's Office of Site Evaluation was tasked by the United States Environmental Protection Agency (U. S. EPA) to conduct a CERCLA Expanded Site Inspection (ESI) investigation of the Rockford Sand and Gravel site located at 4002 South Main Street, Rockford, Winnebago County, Illinois. This investigation was conducted under the authority of the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended by the Superfund Amendments and Reauthorization Act of 1986.

Rockford Sand and Gravel (ILO 000034371) was placed on the Comprehensive Environmental Response, Compensation and Liability Act Information System (CERCLIS) in October, 1993 as a result of a request for discovery action initiated by the State of Illinois. This action was taken due to complaints concerning unpermitted dumping of wastes and the possibility that hazardous wastes may have been illegally dumped during the 1950's and 1960's.

The facility received its initial CERCLA evaluation in the form of research for an Integrated Assessment by the Illinois EPA in February 1994. The sampling portion of the Integrated Assessment was conducted on November 2 and 3, 1994 when the sampling team collected a total of six monitoring well, one residential well, three sediment and seven soil samples which were analyzed for full organic and inorganic Target Compound List substances.

In November 2000, the Illinois EPA's Site Assessment Program prepared and

submitted to the Region V offices of the U. S. Environmental Protection Agency a ESI inspection work plan for the Rockford Sand and Gravel facility. The sampling portion of the ESI inspection was conducted on November 28 and 29, 2000. The Illinois Environmental Protection Agency sampling team collected a total of five onsite subsurface soil samples, six offsite residential groundwater samples and five sediment samples from the Rock River adjacent to the property.

The IEPA performed the CERCLA Expanded Site Inspection activities to fill information gaps that may have existed in previous CERCLA investigations and to determine whether, or to what extent, the site poses a threat to human health and the environment.

U.S.EPA Region V offices have requested that the IEPA identify sites during the Expanded Site Inspection process that may require a Removal Action in order to remove an immediate human health and/or environmental threat. No request has been made at this point for the Rockford Sand and Gravel facility.

1.2 SITE DESCRIPTION

The Rockford Sand and Gravel (Number 1) is an inactive gravel pit located on South Main Street (Route 2) and Simpson Road at the southwest side of Rockford, (population 142,815) Winnebago County, Illinois. The property consists of approximately 57.8 acres and has one active business, Rock River Disposal Company, 4002 South Main, located on the site. The company employees approximately eight people who work on the premises full time repairing trucks. The company does not store wastes on the property.

A review of aerial photographs obtained from the Illinois Department of

Transportation (dated 3/23/72 and 9/26/79) indicate that activities at the Rockford Sand and Gravel No. 1 site covered the area enclosed by South Main Street (Route 2) on the west, to Indian Hills Subdivision on the north, to the Rock River on the east side and Simpson Road on the south. Sanborn Fire Insurance maps reviewed at the Illinois State Library did not indicate that the property was used for manufacturing or other commercial purposes. The property is currently owned by several parties. The Rock River Water Reclamation District of Rockford owns a strip of land along the Rock River of approximately 11.8 acres. Winnebago reclamation Service, Inc. owns the largest portion consisting of approximately 39.4 acres. Rock River Disposal Company owns approximately 6.6 acres, including an active truck repair facility located at the southwest portion of the property along South Main Street (Route 2).

The property is legally described as being located in the Southeast Quarter of the Southwest Quarter, and the Southwest Quarter of the Southeast Quarter, of Section Three, Township Forty-Three North, Range One East of the Third Principal Meridian in Winnebago County, Illinois. The site is surrounded by South Main Street (Route 2) on the west, with businesses and private residences across Main Street; by Indian Hills Subdivision on the north, all residences who use private groundwater wells for drinking; by the Rock river on the east; and on the south by Simpson Road with the closed Rockford Sand and Gravel Number 2 pit lying beyond. The portion of Simpson Road on the south side of the property has been closed off and access is through a private road off of South Main Street across from Southrock Drive. Trespassers in the past have been reported to use the pond located at Rockford Sand and Gravel No. 2 for swimming and fishing. A four-mile radius map of the Rockford Sand and Gravel site and a fifteen-mile

surface water map is provided in Appendix A and B of this report.

1.3 SITE HISTORY

According to a search of Illinois of Illinois Environmental Protection Agency files and interviews with personnel of the current owners, Robert Anderson began sand and gravel mining operations in the late 1940's or early 1950's and ceased mining in the late 1960's. At this time the property was purchased by Rockford Blacktop Company. Rockford Blacktop Company continued mining sand and gravel until the site was permitted in 1973 to receive non-hazardous wastes such as demolition debris and has been permitted to receive phosphate waste water from National Lock Company. The Illinois Environmental Protection Agency has received complaints from local citizens that the property has received unauthorized industrial wastes.

A CERCLA Integrated Assessment inspection was conducted by the Illinois Environmental Protection Agency on November 2 and 3, 1994. Activities included the collection of six onsite soil samples, six onsite monitoring wells and two sediment samples along the Rock River. The soil samples collected onsite were shallow samples collected with stainless steel trowels and bucket augers. The results of the inspection are included in this report in Tables 8, 9, 10 and 11.

1.4 REGULATORY STATUS

The Rockford Sand and Gravel Company began operations approximately 50 years ago and has been used to dispose of various permitted wastes from 1973 until 1992. Illinois Environmental Protection Agency files indicate that a number of permits have

been issued to the landfill location under the names Rockford Blacktop Construction
Company and Rockford Sand and Gravel. After the mining of sand and gravel was
discontinued in the late 1960's the property was issued a number of permits to dispose of
a variety of non-hazardous materials. In April 1973 permit 1973-23 was issued to
Rockford Blacktop Construction Company to use the sand and gravel pit as a landfill to
accept roofing, cement blocks, broken concrete, dirt and other relatively inert materials in
the western pit. The eastern pit was permitted to receive brush, limbs, trees, leaves,
lumber, demolition wastes, tires and white goods. In 1974 permit 74-60 was issued
allowing the disposal of 4,000 gallons of phosphate wash water from National Lock
Company. In 1981 permit 1981-22-DE was issued to C. J. Howard to develop a landfill to
accept only broken asphalt and Portland cement, uncontaminated soils and aggregate,
with a top soil cover of unspecified thickness required after final contour was reached. In
1989 permit 1989-20-DE/OP was issued for the composting of landscape wastes.

During its years of operation the facility was not subject to the Resource Conservation and Recovery Act (RCRA), Federal Insecticide and Rodenticide Act (FIFRA), Atomic Energy Act (AEA), or Uranium Mill Tailings Radiation Control Act (UMTRCA).

EXPANDED SITE INSPECTION ACTIVITIES

2.1 RECONNAISSANCE ACTIVITIES

The site reconnaissance visit was conducted by the Office of Site Evaluation of the Illinois Environmental Protection Agency on November 8, 2000 to determine potential sampling locations at the site. Prior to the recon representatives of Winnebago Reclamation Service, Inc. were contacted by phone. During the recon the author met with a representative of the company and a walk through of the property was conducted. The western three-quarters of the property is relatively flat but irregular due to cover not being graded perfectly level, with the filled-in gravel pit area being vegetated with weeds and small trees. The eastern portion along the Rock River consists of a strip of land approximately 400 feet wide that belongs to Rock River Water Reclamation District of Rockford that contains mounds of dirt and is covered with brush and trees of various sizes. Indian Hills Subdivision borders the property on the north side and all its residents use private wells for drinking. Simpson Road used to extend to part of the south side of the site but has been closed off. Rockford Sand and Gravel Number 2 lies adjacent to the south side of the property and is slowly being filled in with demolition debris. On the west side of the property is a truck repair building which belongs to Rock River Disposal Company and employees approximately eight people full time. South Main Street (Route 2) runs along the west side of the property.

2.2 SAMPLING ACTIVITIES

Sampling activities were conducted onsite November 28 and 29, 2000 when IEPA personnel collected five onsite subsurface and one background soil samples, and five

sediment samples from the adjacent Rock River and one background sample, and six offsite private well samples. All soil samples, with the exception of the background soil sample, were collected using the Geoprobe. Sediment samples were collected using a bucket auger and private well samples were collected from a tap. All samples were analyzed for the Target Compound List (TCL) in Appendix C. Soil and sediment organic samples were analyzed by ACCURA Analytical Laboratory and inorganics by Sentinel, Inc. Residential groundwater organic samples were analyzed by Mitchem Corporation and inorganic samples by the USEPA Central Regional Laboratory. All laboratories were under contract with USEPA Region 5. All laboratory results were subsequently validated by USEPA Region 5.

Sample locations are shown in figures 4 and 5 and described in Tables 1 and 2.

Key sample analytical results from the sampling event are shown in Tables 3, 4, 5, 6
and 7. The analytical results for the soil samples were compared to the Illinois

Environmental Protection Agency's Tiered Approach to Corrective Action Objectives

(TACO) and to Removal Action Levels (RAL's). Water samples were compared to

TACO Tier 1 Class 1 groundwater objectives and Maximum Contaminant Levels

(MCL's). Sediment samples were compared to Ontario Sediment ands USEPA Ecotox

Thresholds benchmarks. Key samples are samples in which contaminants were detected at

concentrations at least three times background levels or had concentrations of potential
health concerns. Samples collected during the 1994 CERCLA Integrated Assessment are
shown in Tables 8, 9, 10 and 11.

2.3 KEY SAMPLES

Key samples are samples in which contaminants were detected at concentrations at least three times background levels or had concentrations of potential health or environmental concerns. Analytes were found in onsite soil and sediment samples at levels that exceeded these health-based benchmarks. These included volatile, semivolatile, pesticide, tentatively identified compounds and inorganic substances.

SITE SOURCES

3.1 CONTAMINATED LANDFILL

During the 2000 CERCLA Expanded Site Inspection a total of five onsite subsurface soil, five sediment samples and six residential well samples were collected. Onsite subsurface soil samples were collected using the Geoprobe. Analytical results from these samples document the presence of a number of analytes at concentrations which meet the CERCLA criteria for observed contamination. The analytical results from the soil samples collected onsite showed that a number of volatile, semivolatile, pesticide, tentatively identified compounds and inorganic substances that are at levels greater than three times background, exceeded Removal Action Levels or exceeded TACO Cleanup Objectives. Sediment samples collected from the Rock River adjacent to the site had elevated levels of volatile, semivolatile, tentatively identified compounds and inorganic substances sediment benchmarks. Residential well samples were collected north and west of the site. One sample collected north had elevated levels of lead and iron and the Ilinois Department of Public Health sent a letter to the owner recommending that he sample the water for lead to determine if the problem is associated with the plumbing.

Information obtained throughout this CERCLA investigation has identified contaminated soil within the landfill as the primary source type at the Rockford Sand and Gravel site. The soil contamination was found at various locations throughout the site and the area is estimated to be approximately 26.0 acres. This is the area within sampling points X103, X104, X105, X106 and X107.

MIGRATION PATHWAYS

4.1 GROUNDWATER PATHWAY

Groundwater is widely used in the area. The city of Rockford (population 142,815) obtains all of its drinking water from 37 active wells which pump from various locations throughout the city. The nearest residences known to use private groundwater wells for drinking are located in the subdivision located adjacent to the property on the north side and the nearest municipal well is Rockford well number 34 which is a 1,485 feet deep well cased to 325 feet located approximately 500 feet west of the site. The number of people who use groundwater in a 4-mile radius offsite was estimated using information obtained from the city of Rockford Water Department, USGS topographic maps and the average persons per household in Winnebago county. The estimated population is:

Estimated Groundwater Target Population

Onsite	0
0 to 1/4 mile	4,050
>1/4 to 1/2 mile	160
>1/2 to 1 mile	4,000
>1 to 2 miles	11,800
>2 to 3 miles	15,500
>4 to 4 miles	31,300

The geology of the area consists of glacial drift composed of sand and gravels of medium to dense relative density which may be up to 280 feet thick overlying bedrock.

The bedrock is composed of fractured dolomite of the Galena and Plattville Groups of the Ordovician System Champlainian Series which overly the St. Peter Sandstone.

Groundwater is obtained locally from both the glacial and bedrock aquifers. The local groundwater flow is unknown but the shallow groundwater flow would be assumed to be toward the Rock River which lies on the east side.

Analytical results from residential groundwater samples collected during the inspection indicate that one sample had elevated concentrations of lead and iron. One residential well was sampled in 1994 and contained bis(2-Ethylhexyl)pthalate.

4.2 SURFACE WATER PATHWAY

No surface water samples were collected during the November 28 and 29, 2000 CERCLA inspection. Due to the irregular nature of the site terrain drainage during a storm event would tend to collect onsite. However, the close proximity of the Rock River suggests that groundwater from the property could enter the river via discharge from the sand and gravel aquifer. According to the Flood Insurance Rate Map for Winnebago County, Illinois, November 19, 1980, the facility lies inside the 100-year floodplain. This Map was compiled prior to the gravel pit being filled to the elevation of the surrounding land so the property now is possibly outside the 100-year floodplain.

The Rock River is widely used for recreation and according to the Illinois

Department of Natural resources is classified as a "highly valued aquatic resource' since
it provides a good fishery for important game fish species. The average flow of the Rock
River in the Rockford area is approximately 4100 cubic feet per second. The nearest
wetlands consists of several islands located approximately 400 feet southeast of the
property that are classified as Paulustrine Forested Broad-leaved deciduous seasonally

flooded wetlands with approximately .65 miles of frontage along the river. Rockford Sand and Gravel Pit Number 2 is classified as a Lucustrine Limnetic Unconsolidated bottoms permanently flooded excavated wetland. There are approximately 13.6 miles of wetland frontage along the fifteen mile surface water pathway in the Rock river downstream from the Rockford Sand and gravel property.

Sediment samples collected during the inspection contained elevated levels of volatile, semivolatile, tentatively identified compounds and inorganic substances.

4.3 AIR PATHWAY

Air monitoring with a TVA (Toxic Vapor Analyzer) was conducted during the Expanded Site Inspection but did not indicate a release to the breathing zone. Most of the property is vegetated but there is a potential for windborne contamination since contamination was found in the top six inches of soil during the 1994 CERCLA inspection. The property is fenced on the north and west sides and has restricted access and is in a relatively remote area. A group of small businesses and private residences located approximately 800 feet south of the facility represents the location of the nearest non-worker. The nearest school is located approximately three quarter of a mile west and there are approximately 45,924 people who live within a 4-mile radius of the site. The estimated population potential for release is:

Estimated Air Target Population

Onsite	8
0 to ¼ mile	251
1/4 to 1/2 mile	1 865

½ to 1 mile	3,650
1 to 2 miles	7,350
2 to 3 miles	10,800
3 to 4 miles	22,000

4.4 SOIL EXPOSURE PATHWAY

Soil samples collected during the 1994 Integrated Assessment inspection document areas of observed contamination by contaminants that are attributable to the site. People were reported to have trespassed and fish in the sand and gravel pit (Rockford Sand and Gravel No. 2) located adjacent to the south side of the property. The property is not completely fenced but has restricted access and is in a relatively remote area. Private residences located adjacent to the north side of the property represents the location of the nearest non-worker. The nearest school, Riverside School, is located approximately three-quarters of a mile south of the site. A review of USGS topographic maps, city maps and U.S. Census data indicate that there are approximately 5,774 people that live within a one-mile radius of the site. The estimated population within one mile of the site is:

Onsite	8
0 to ¼ mile	251
1/4 to 1/2 mile	1,865
½ to 1 mile	3,650

A review by the Illinois Department of Natural Resources did not indicate any terrestrial sensitive environments near the Rockford Sand and Gravel site. Wetland

inventory maps indicate that there are approximately 56.7 acres of wetlands located within a half mile of the site.

Soil samples collected during the Expanded Site Inspection document areas of observed contaminants that are attributable to the site.

ADDITIONAL RISK BASED OBJECTIVES

This section discusses additional screening objectives used to evaluate the Rockford Sand and Gravel site. These objectives have not been used to assess the site for Hazard Ranking System (HRS) purposes.


5.1 TIERED APPROACH TO CORRECTIVE ACTION OBJECTIVES (TACO)


The Illinois EPA's TACO Guidance Document (proposed rules under 35 IL Adm. Code Part 742), can be used to develop site-specific remediation objectives. This document discusses key elements required to develop risk-based remediation objectives, how background values may be used, and provides guidance through three tiers of the risk-based approach. The Illinois EPA uses this guidance, and the groundwater standards established in 36 IL Adm. Code 620, to determine soil and groundwater remediation objectives.

The soil contaminants from the Rockford Sand and Gravel site were compared to the soil remediation objectives established for industrial/commercial properties, with the inhalation, ingestion and migration to groundwater routes each evaluated. Tier 1 consists of "look-up" tables, which considers limited site-specific information and are based on simple numeric models. Several soil samples exceeded these benchmarks for organic and inorganic substances.


6.1 BIBLIOGRAPHY

- Illinois Environmental Protection Agency, 1994. CERCLA Integrated Site Assessment report for Rockford sand and Gravel.
- Illinois Department of Natural Resources. Review of sensitive environment locations letter of October 11, 2001 for Rockford Sand and Gravel.
- Flood Insurance Rate Map, November 1980 for the city of Rockford, IL. Federal Emergency Management Agency.
- United States Department of the Interior, National Wetlands Inventory Maps for Rockford South, Kishwaukee, Stillman Valley and Oregon, IL. Quadrangles, 7.5 minute series.
- Illinois Department of Public Health well construction reports/Geological Water Survey records for the Rockford, IL area.
- Illinois Environmental Protection Agency, Division of Public Water Supplies. Public well topographic maps and inventory sheets for the city of Rockford, IL.
- USGS, 1976, Winnebago, IL. Quadrangle, 7.5 minute series.
- USGS, 1993, Rockford North, IL. Quadrangle, 7.5 minute series.
- USGS, 1971, Kishwaukee, IL. Quadrangle, 7.5 minute series.
- USGS, 1993, Rockford South, IL. Quadrangle, 7.5 minute series.
- IEPA Site Reconnaisance visit of November 8, 2000 to Rockford Sand and Gravel, Rockford, IL.









Soil Sample Location

Sediment Sample Location


Rockford Sand & Gravel

Sample Location Map



Approximate Site Boundry

Figure 4








TABLE 1 Soil Sample Description

		luorg - 6' - 8'	97:60
		BNA/Pest/PCB - 6' - 8'	11/59/5000
0 to 16' - dark brown silty soil.	Collected at the southwest area of the property.		X107
. ovoer material. 1.5' to 1'2' - fill material.	Collected at the northwest area of the property.	VOA - 10' SNA/Pesl/PCB - 10' -12' lnorg - 8' - 10'	14/28/2000 14/28/2000
0 to 9' - sand, gravel, refuse (paper & wood). 9' to 14' - silty material. 14' to 18' - black silt with gravel, limestone chunks. 18' to 28' - silts, brick, gravel.	Collected at the southeast area of the property.	VOA - 20' 3NA/Pest/PCB - 19'-20 Inorg - 18'-19'	11:40 11/28/2000
0 to 2' - silty clay, cover. 2' to 4' - cinders, plastic, gravel, green inorganic material. 4' to 8' - wood, black material, silty clay & gravel. (sleeve had only 1.5 feet of recovery). 8 to 12' - silty clay, gravel (3' recovery). 12' to 16' - water, silts and sand to 15' (2' recovery). 16' to 20' - fill material (1.5' of recovery). 20' to 24' - sands, gravels, plastic and wood (8" recovery).	Collected at the northeast area of the property.	. VOA - 6' BNA/Pest/PCB - 6' - 8' Inorg - 2' 4'	X104 11/28/2000 13:00
0 to 1' - cover material. 1' to 16' - fill wood, plastic & paper. 16' to 20' - silty material mixed with wood fragments	Collected at the north-central area of the property.		11/28/2000 12:30
Black silty loam.	Background and duplicate soil sample collected at Blackhawk Park, located approximately 1.4 miles north of the Rockford Sand & Gravel site.		X101 X102 11/29/2000 15:50
Appearance	Location	Деріћ	Sample Date

TABLE 2 Sediment Sample Description

Sample Date Time	<u>Depth</u>	Location	Appearance Appearance
X201 X202 11/29/2000 15:40	1" to 8"	Background and duplicate soil sample collected at Blackhawk Park, located approximately 1.4 miles north of the Rockford Sand & Gravel site.	Gray sandy gravel.
<u>X203</u> 11/29/2000 13:15	1" to 8"	Collected at the northeast corner of the property in the Rock River, which borders the east side of the site.	Sand. gravel, some silt.
<u>X204</u> 11/29/2000 13:35	1" to 8"	Collected at the east side of the property in the Rock River.	Black silt, organic matter.
<u>X205</u> 11/29/2000 14:00	1" to 8"	Collected at the east side of the property in the Rock River.	Black silt, some organic material.
X206 11/29/2000 02:30 PM	1" to 8"	Collected at the east side of the property in the Rock River.	Black silt and gravel, much organic matter.
<u>X207</u> 11/29/2000 15:00	1" to 8"	Collected at the east side of the property in the Rock River.	Tan medium gray sand and gravel with silt.

TABLE 3 Groundwater Sample Description

Sample Date	<u>Depth</u>	Location	<u>Appearance</u>
<u>Time</u>			
G201 G202 11/28/2000 11:00	87 feet	Background and duplicate sample collected at a trailer park located approximately 1.4 miles south of the Rockford Sand & Gravel site.	Clear.
<u>G203</u> 11/29/2000 10:00	Unknown	Collected from a private residence located west of the site.	Clear.
<u>G204</u> 11/29/2000 09:00	Unknown	Collected from a private residence located west of the site.	Clear.
<u>G205</u> 11/29/2000 14:00	Unknown	Collected from a private residence located north of the site.	Clear.
<u>G206</u> 11/29/2000 11:30	Unknown	Collected from a private residence located north of the site.	Clear.
<u>G207</u> 11/29/2000 11:00	Unknown	Collected from a private residence located north of the site.	Clear.

SITE NAME ROCKFOR ILO NUMBER 000034371	RD SAND & GRAVEL			TABLE 4 EY SAMPLES (Soil)					
SAMPLING POINT	X101 11/29/00 (Background)	X102 11/29/00	X103 11/28/00	X104 11/28/00	X105 11/28/00	X106 11/28/00	X107 11/29/00	TACO CLEANUP OBJECTIVES	RAL,s
PARAMETER									
/OLATILES									
Methylene Chloride	5.0 J	3.0 J	70.0 D	140.0 D	370.0 D	-	· _	760.0	
Carbon Disulfide	400 4	"	22.0	21.0 38.0 DJ	17.0 DJ		5.0 J	200,000	-
2-Butanone (MEK) Cyclohexane	10.0 J	10.0 J	69.0 29.0	38.0 DJ 24.0	61.0 D	-	 30 J		
Methylcyclohexane			19.0	41.0			6.0 J	-	
Benzene 2-Hexanone			16.0 14.0	14.0 4.0 J	8.0 DJ	 	-	200.0	5,900,000
Toluene		-	18.0	37.0	10.0 DJ		50 J	410,000	16,000,000
Chlorobenzene			6.0 J	160.0 D		-		41,000	16,000,000
Ethylbenzene Xylene(total)	<u> </u>		160.0 140.0	260.0 D 550.0 D		- .	 5.0 J	200,000 1,000,000	78,000,000
1,4-Dichlorobenzene	-	-		29.0 DJ		-	- 0.00		-
Isopropylbenzene			23.0	16.0				-	
	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	mg/Kg	ug/Kg
SEMIVOLATILES									
4-Methylphenol	-	 _	2200.0 J	-	370.0 J	470.0			
2,4-Dimethylphenol	81.0.1		1100.0 J 58000.0	- 600.0 J	3900.0	77.0 J 460.0		41,000	16,000,000
Naphthalene 2-Methylnaphthalene	81.0 J	- -	28000.0	2900.0	3000.0	280.0 J	_	82,000	500,000
1,1'-Biphenyl		-	9300.0	220.0 J	800.0 J	110.0 J	-	-	-
Acenaphthylene	-		1200.0 J 37000.0	– 720.0 J	330.0 J 5000.0	830.0	-	120,000	1,000,000
Acenaphthene Dibenzofuran	-	-	38000.0	600.0 J	3700.0	540.0	_	120,000	
Fluorene			66000.0 D	1200.0 J	7000.0	960.0	38.0 J	82,000	1,000,000
Pentachlorophenol Phenanthrene	 53.0 J	 51.0 J	270000.0 D	1800.0 J 3000.0	52000.0 D	5600.0 D	 310.0 J	24.0	1,000,000
Anthracene	53.0 3	- 31.03	81000.0 D	570.0 J	14000.0 D	1200.0	65.0 J	610,000	1,000,000
Carbazole	-		46000.0	280.0 J	7200.0	770.0	40.0 J	290.0	70,000,000
Di-n-Butylphthalate Fluoranthene	 95.0 J	84.0 J	240000.0 D	950.0 J	370.0 J 66000.0 D	190.0 J 6200.0 D	360.0 J	200,000	78,000,000 1,000,000
Pyrene	76.0 J	74.0 J	230000.0 D	1300.0 J	60000.0 D	5000.0 D	320.0 J	61,000	1,000,000
Butylbenzylphthalate Benzo(a)anthracene		-	110000.0 D	 440.0 J	39000.0 D	280.0 J 2200.0	 150.0 J	410,000 8.0	1,000,000
Chrysene	55.0 J	48.0 J	110000.0 D	620.0 J	44000.0 D	2400.0	160.0 J	780.0	1,000,000
bis(2-Ethylhexyl)phthalate	41.0 J	<u>-</u>	-	280.0 J		1700.0	-	410.0	12,000,000
Benzo(b)fluoranthene Benzo(k)fluoranthene	47.0 J		88000.0 D 81000.0 D	-	34000.0 D 30000.0 D	2000.0 1600.0	130.0 J 100.0 J	8.0 78.0	1,000,000
Benzo(a)pyrene	41.0 J	-	98000.0 D	-	36000.0 D	2200.0	130.0 J	0.8	1,000,000
Indeno(1,2,3-cd)pyrene	-	-	54000.0 D 23000.0	_	21000.0 D	1400.0	68.0 J	8.0	1,000,000
Dibenz(a,h)anthracene Benzo(g,h,i)perylene			5000.0 D	-	10000.0 18000.0 D	690.0 2200.0	65.0 J	0.8	1,000,000 1,000,000
	ug/Kg	ug/Kg	ug/Kg	ид/Кд	ug/Kg	ug/Kg	ug/Kg	mg/Kg	ug/Kg
PESTICIDES									
			66.0 DP	3.6 P	_	4.8 P	_	0.4	11.000
Dieldrin 4,4'-DDE		-	- 66.0 DP	3.6 P 14.0 P	9.3 P	4.8 P 5.4 P		17.0	11,000 500,000
4,4'-DDD	-	-	18.0 P	6.6	4.6 P	29.0	-	24.0	710,000
Endosulfan sulfate 4,4'-DDT		-	50.0 P 67.0 D	- 5.5 P	- 6.5 P	8.0	-	17.0	390,000
Endrin Ketone	-	-	100.0 DP	17.0 P	19.0	7.8 P	-	17.0	390,000
Endrin aldehyde		-	210.0 DP	19.0 P	4.3 P	6.8 P		I I	-
alpha-Chlorodane gamma-Chlorodane	-		84.0 DP	-	_	7.5 5.2 P	4.3 4.5	4.0 4.0	-
garana omoroaaro	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	mg/Kg	ug/Kg
NORGANICS									
						FC 5		0000	
ANTIMONY ARSENIC	 3.2 J	3.0	 6.1	4.1	 10.1	5.8 B	-	820.0 3.0	200.0
BARIUM	78.1	80.0	- 0.1	260	709	333	-	140,000	
BERYLLIUM	-	••		0.83	146	- 10	0.00 5	1.0	40.0
CADMIUM CHROMIUM	0.24 B 6.1	0.24 B 6.8	2.0	1.7 30.5	146 1040	1.2 52.4	0.98 B ⊶	2,000	25.0 400.0
COPPER	5.9 B	6.0 B	46.1	36.8 J	1350	189	-	82,000	5000.0
LEAD MAGNESIUM	19.8 1150 B	20.4	188 54100	76.9 35600	1510 10800	205 27400	26600	400.0	1000.0
MERCURY	- 1100 6	1210 B	54100	0.14	1.2	0.13	0.060 B	610.0	1600.0
NICKEL	4.9 B	5.7 B	-	16.1	110	48.0	-	41,000	1600.0
SILVER ZINC	37.3	38.7	 750	189	10.5 3020	 1180	: -	10,000	2300.0 160,000
CYANIDE			0.18 B	0.80	6.5	0.17 B		41,000	350.0
h H	7.0	7.0	7.0	7.0	7.0	7.0	7.0	-	
	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg

Cleanup Objectives are based on the Itlinois Environmental Protection Agency's Tiered Approach to Corrective Action Objectives. The objectives presented in this table are based on Tier 1 Ingestion/Inhalation for the Soil Exposure Route for an Industrial/Commercial scenario.

SITE NAME ILO NUMBER	ROCKFORD 000034371	SAND & GRAVEL		TEN	KEY SAMPI NTATIVELY IDEN	LE 5 LE SUMMARY NTIFIED COMF oil)	POUNDS			
SAMPLING POI	NT	X101 11/29/00 (Background)	X102 11/29/00	X103 11/28/00	X104 11/28/00	X105 11/28/00	X106 11/28/00	X107 11/29/00	TACO CLEANUP OBJECTIVES	RAL,s
PARAMETER										1
VOLATILES										
Cis-3,5-Dimethyl	cyclohexanon	**	••		120.0 NJ	**	f			
Nonane					390.0 NJ			. 		
Cyclohexane, 1-6			<i>i</i>		420.0 NJ	••	••	· ••		
Bicyclo [3,2,1] oc					190.0 NJ	••	••			
Octane, 3,6-dime			••		280.0 NJ					
Cyclohexane, pro					370.0 ŅJ	••	••			,
Nonane, 4-methy			••	••	310.0 NJ					
Undecane, 5,6-d		 		 	250.0 NJ			 		=
Decane, 2,5,6-tri				 	640.0 NJ 670.0 NJ					
1-Decene, 3,4-di Benzene, 1-ethyl					250.0 NJ				:	::
Cyclohexane, 1-					340.0 NJ	•	••		"	"
Decane	neuryi-z-prop		••	80.0 NJ	320.0 NJ				-	"
Benzene, 1,2,3-ti	rimethyl-	••	••		1100.0 NJ		••	••		
Decane, 3-methy					220.0 NJ					l
Docane, 3-methy					350.0 NJ				l	۱
Dodecane, 3-me			••					••		
Cyclohexane, bu				••	270.0 NJ					
1,2,4-trimethylbe		••		178.0 NJ	510.0 NJ					
Decane, 4-methy	/ -	••	<u></u>		300.0 NJ			••		
Decane, 2-methy	/I-		·	20.0 NJ	430.0 NJ				1	·
Decane, 3-methy	1 -		••	18.0 NJ	310.0 NJ					
Naphthalene, de					220.0 NJ					
Benzene, 1-meth		••		••	140.0 NJ		·	••	••	
Benzene, 1-meth		**			400.0 NJ	••	••			
Benzene, 1-meth				. 32.0 NJ	••					
2,3-dihydro-1-me					230.0 NJ			••		
Bicyclo [2.2.1] he				100.0 NJ	250.0 NJ	•-				
Benzene, 1,2,3,5		• ••	••		260.0 NJ				-	
Benzene, 2-ether		•• ••		 ••	300.0 NJ					
1-H-indene, 2,3-c Benzene, 1-(1-m					170.0 NJ 130.0 NJ				<u> </u>	"
Heptane, 3-meth				11.0 NJ	130.0 143			-		<u></u>
3-pentanone, 2,4		••		38.0 NJ						<u> </u>
1-hexene, 3-meth				24.0 NJ	••					
Cyclohexane, eth				27.0 NJ	••		••			
Cyclohexane, 1,1		••	9	23.0 NJ						l
Octane, 4-methy		••		23.0 NJ				••		
Benzene, 1,2-din				63.0 NJ						
3-octyne, 5-meth	yl-	••	••	25.0 NJ						
Nonane, 3-methy	/l-	••	••	30.0 NJ			••	••		
Cyclohexane, pro	opyl-		••	41.0 NJ						
Menth-1(8)-ene		••		49.0 NJ		••				
Methylamine, N-(60.0 NJ						
Benzene, propyl-		•-		32.0 NJ				••		
Benzene, 1,2,3-ta				98.0 NJ		••				
Benzene, 1-ethyl	-2-metnyi-			131.0 NJ						
Undecane	nd 2 promid			57.0 NJ	 .					:
Benzene, 1-meth Nonane, 3-methy				47.0 NJ 22.0 NJ	 					<u></u>
Benzene, 2-ethyl				22.0 NJ 35.0 NJ					::	
Benzene, 1-meth				32.0 NJ	 					"
Hexane	iyi (i -itilodiy	••		32.0 140				13.0 NJ	"	::
Heptanal								5.0 NJ		
p		ug/Kg :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	mg/Kg	ug/Kg

Cleanup Objectives are based on the Illinois Environmental Protection Agency's Tiered Approach to Corrective Action Objectives. The objectives presented in this table are based on Tier 1 Ingestion/Inhalation for the Soil Exposure Route for an Industrial/Commercial scenario.

Inprenyiene, z-memyi- Undecane	Thymol	Tetradecane Tetradecanoic acid	Tetradecane	S-Indacen-1 (2H)-one,3,5,6,7	Pyrene, 2-methyl-	Pyrene	Phenanthrene, 2,3,5-trimethy	Perylene	Pentadecane Pentadecane, 2,6,10,14-tetra	Octane, 3,5-dimethyl-	octadecanal .	Nonanoic acid, 7-methyl-, me	Naphthalene, 2-methyl-	Naphthalene, 2,6-dimethyl- Naphthalene, 2-ethyl-	Naphthalene, 2,3-dimethyl-	Naphthalene, 1-methyl-7-(1-M)	Naphthalene, 1-ethyl- Naphthalene, 1-methyl-	Naphthalene, 1,6-dimethyl- Naphthalene, 1-(2-propenyl)-	Naphthalene 1,7-dimethyl-	Naphthalene, 1,5-dimethyl-	Muristoyl, pantetheine		Heptadecane Heptadecane, 9-octyl-	Fluorene, 2,4a-dihydro- Heptacosane	Eicosane	Dodecane, 2,6,11-trimethyl-	Dibenzothiophene, 3-methyl- Dibenzothiophene, 4-methyl-	Dibenz(a,h)anthracene Dibenzofuran, 4-methyl-	Bicyclo [2.2.1] heptan-2-one, Decane	Benzo[k]lluoranthene	Benzo(ghi) perylene	Benzo(e)pyrene	Benzo[b]triphenylene	Benzene, [1,-(2,4-cyclopentad Benzo[b]naphtho[2,1-d]thioph	Benzene, 1-(1-methylethenyl) Benzene, 1-methyl-2-(2-pheny	Benzijjaceanthrylene, 3-meth Benzene, 1,1'-methylenebisi3	Anthracene, 9-methyl- Azulene, 7-ethyl-1,4-dimethy	Anthracene, 1-methyl- Anthracene, 2-methyl-	9H-fluorene, 9-(phenylmethyl Anthracene, 1,8-diethynyl-	9H-fluorene, 2,3-dimetryt- 9H-fluorene, 2-methyl-	7H-benzidejanthracen-7-one	4H-cyclopenta[def] phenanthre	4,5-Dihydro-4,5-epoxybenzpyr	3,4-Dihydrocyclopenta(cd)pyr 3-methyl-4- (methyoxycarbonyl)	1H-cycloprop[e]azulene, deca 2H-1-benzopyran-2-one	11H-benzo[a]fluorene 11H-benzo[b]fluorene	1-Benzopyryllum, z-(4-chloro 1-Naphthalenecarbonitrile		1,1'-biphynyl, 2-methyl-	SEMIVOLATILES	PARAMETER	SAMPLING POINT		ILO NUMBER 000034371
uo/Ka	1	: :		: :	: :	: :	1 1	1					1		: :	;	; ;	: :	: :	l I		160.0 NJ	1.1	f 1	; :	: ;	: 1	: :	: 1	1 1	1 (1 ;	: :	1 1	:	1 1	: ;	: :	1 1	: :					. 29		1 1	:	: :			X101 11/29/00 (Background)		ROCKFORD SAND & GRAVEL 000034371
ug/Kg	;		:	: :	: :	: :	. :	,	220.0 NJ	.: :	160.0 NJ	130.0 NJ	:	: :	: :	:	: :	: :	:			450.0 NJ	: :	: :	:	: :	: :	: :	: :	1 1	: :	: :	: :	: :	: :	: :	: :	: :	: :	: :	:	1	· ,•	1 1		: :	: :	:	. 1			X102 11/29/00		
uo/Ka		: :		:	: 1	: :	1 :	87000.0 NJ	: :	: :	: :	: :	:	2500 0 NJ	4600.0 NJ	:	18000.0 NJ	4400.0 NJ	1	8600.0 NJ	: :	: :	: :	7900.0 NJ	:	: :	: :	9400.0 NJ 8800.0 NJ	: :	40000.0 NJ	6200.0 NJ	: 000.0	13000.0 NJ	2300.0 NJ 2900.0 NJ	: :	: :	: :	2800.0 NJ	21000.0 NJ 3400.0 NJ	; ;	1 000	4800 0 NJ	18000.0 NJ	2900.0 NJ	: :	13400.0 NJ	2700.0 NJ		3300 0 N			X103 11/28/00	TEN	
NA :	1	3000.0 NJ	3000 1	6600.0 NJ			1500.0 NJ	E :	3100.0 NJ	: 000.0	2000 NJ	: :	2800.0 NJ	4600.0 NJ		1500.0 NJ	1300.0 NJ	: :	1900.0 NJ	4900 N	2300.0 NJ	: :	: :	: :	:	: :	2400.0 NJ	: :	: :	::	; ;		: :		1400.0 NJ 1900.0 NJ	2400.0 NJ	1700.0 NJ	: :	: 1	1800.0 NJ	1	1		1800.0 NJ		::		:				X104 11/28/00	TATIVELY IDEN	Tab KEY SAMPL
1 / O.O. N.O.	;	: :		:	810.0 NJ	4200.0 NJ		44000.0 NJ	: :	: 1	: :	: :	2300.0 NJ	1700.0 NJ	3400.0 NJ	8500 2	: :	: :	: 000	1000.0 NJ	860.0 NJ	: :	1 :	: :	: :	: :	٠:	14800.0 NJ 1800.0 NJ	: :	11000.0 NJ		: :		100.0 NJ	: 1	2700.0 NJ	1 1	790.0 NJ 980.0 NJ	: 1	: :	1660.0 NJ	;	: :	860.0 NJ	: :	1200.0 NJ	1 000.0	1400.0 NJ	1300.0 NJ			X105 11/28/00	ENTIFIED COMPC	Table 5 KEY SAMPLE SUMMARY
680.0 NJ	570.0 NJ	1300.0 NJ	1000 0 N	: 0.0	520 0 NJ	: 00.0			550.0 NJ	900.0 NJ	: :	: 00.0 %	13000	790.0 NJ	: :	: :	: :	; ;		1 1	:: UN 0.088	610.0 NJ 7300.0 NJ	1200.0 NJ 2000.0 NJ	930.0 NJ	. 530.0 NJ	560.0 NJ		1 1	2800.0 NJ			780.0 NJ		: :		1 1	1 1	540.0 NJ			:		5 5 2	: :	490.0 NJ	; ;	1 1	ı	:			X106 11/28/00	UNDS	
ug/Ka	:	: :	: :	: :	: :	: :		:	: :	: :	1 · 1		: :	::	: :	: :	1 1	1 :	:	: 1					1 200	120 0 N.	: 1	1 :	: :	: :	:	170	. :	: :	: :	: .:	: :	::	: :	: :	:	: :	: :	: :	110.0 NJ	::	: :	;	: :			X107 11/29/00		
19/Kg				: :	::	: :	:		::	: :	: 1	1 1	. :	: :	' : :	: 1		: :		: 1	::	; ;	, :		;	: :	: :	: :	: :	: :	:	: :	: :	: :	: :	: :	: :	: :		::	:		: :	: :	1 1			: :	: 1			CLEANUP OBJECTIVES		
up/Ka		: :		:	: :	1 1	:	:	; ;	: :	, ,	: :	: 1	: :	:	: 1	1 1		1	: :	: :	: :	: :	::	1	: :	: :	: :		: :	:	. :	: :	: :	: :		: :	: :		; ;	:	:	: :	: :	: :	1 1	; ;		: :	-		RAL,s		

Cleanup Objectives are based on the Illinois Environmental Protection Agency's Tiered Approach to Corrective Action Objectives. The objectives presented in this table are based on Tier 1 Ingestion/inhabition for the Soil Exposure Route for an Industrial/Commercial scenario.

SITE NAME ROCKE ILO NUMBER 000034	FORD SAND & GRAV 371	I		KE'	ABLE 6 Y SAMPLES ediment)				
SAMPLING POINT	X201 11/29/00 (Background)	X202 11/29/00	X203 11/29/00	X204 11/29/00	X205 11/29/00	X206 11/29/00	X207 11/29/00	Ontario Sediment Benchmarks	USEPA Ecotox Thresholds
PARAMETER									
VOLATILES									
Acetone	17.0	22.0				100.0	130.0		
Carbon Disulfide		••		4.0 J		15.0 J	16.0 J		
Methyl Acetate				••		14.0 J	•-		
2-Butanone (MEK)						9.0 J	20.0 J		
Cyclohexane							24.0 J		
Benzene	••	 -			••		42.0 J		57.0
Ethylbenzene			••			. = .	16.0 J		3,600
,	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
SEMIVOLATILES									
Naphthalene				••		100.0 J			480.0
Acenaphthylene			••		110.0 J	••		'	
Acenaphthene			••			130.0 J			620.0
Dibenzofuran						100.0 J			2,000
Fluorene	••		••			170.0 J			540.0
Phenanthrene	170.0 J	290.0 J	••			1200.0			850.0
Carbazole			••		••	150.0 J			•••
Di-n-Butylphthalate					90.0 J				11,000
Benzo(a)pyrene	170.0 J	270.0 J			740.0	620.0 J			430.0
Dibenz(a,h)anthracene		270.00	••		140.0 J	020.0 0			400.0
Dibenz(a,n)ammacene	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
PESTICIDES: None Detecte	d								
INORGANICS				•					
BARIUM	28.1 B	••			138				
CADMIUM	0.21 B				1.3 B	0.65 B		.6	
COBALT	0.21 6	2.8 B			9.0 B	0.65 B		50.0	
COPPER	7.2	10.1	 		27.9			16.0	
IRON	4860	7610		 	20100			20.000	••
LEAD	15.5	74.7			65.9			31.0	
MERCURY	0.090 B	74.7			2.3			0.2	
NICKEL	4.7 B	7.9 B			2.3 21.0			16.0	••
SILVER	4./ D			 	21.0 2.1 B			0.5	
SODIUM	<u></u>	 	265 B	·	2.1 B 341 B	 	, 	0.5	
	06.0								
ZINC	26.9	57.5			161		7.0	120.0	
рН	7.0 mg/Kg	7.0 mg/Kg	7.0 mg/Kg	7.0 mg/Kg	7.0 mg/Kg	7.0 mg/Kg	7.0 mg/Kg	mg/Kg	mg/Kg

SITE NAME ILO NUMBER

ROCKFORD SAND & GRAVEL 000034371

TABLE 7
KEY SAMPLE SUMMARY
TENTATIVELY IDENTIFIED COMPOUNDS
(Sediment)

	(Sediment)										
SAMPLING POINT	X201 11/29/00 (Background)	X202 11/29/00	X203 11/29/00	X204 11/29/00	X205 11/29/00	X206 11/29/00	X207 11/29/00	Ontario Sediment Benchmarks	USEPA Ecotox Threshold		
PARAMETER	(,							:			
/OLATILE\$		•						į			
Hexane		·	. <u>.</u>				78.0 NJ				
Carbon dioxide		••	770.0	۰- لا	1200.0 NJ		2100.0 NJ				
2-pentene, 4-methyl-, (E)			10.0	۱J	••						
	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg		
SEMIVOLATILES											
(6H) cyclobuta[jk]phenanthren				110.0 NJ							
(R)-(-)-(z)-14-methyl-8-hexa		••		••	190.0 NJ				••		
.Deltaselinene					'		110.0 NJ				
1,4-Butanediamine		••	••	110.0 NJ			••				
1-Docosene				••		140.0 NJ					
1-Dotriacontanol				·		350.0 NJ					
1-Eicosanol	i.					420.0 NJ	·				
1-Hexacosanal	I /				·	6800.0 NJ					
10-Nonadecanone	(270.0 NJ]			
10-methylnonadecane		••		98.0 NJ		270.0 No					
11H-benzo[a]fluorene	••	400 0 111		4400 111	120.0 NJ						
11H-benzo[b]fluorene		100.0 NJ	. 	110.0 NJ	319.0 NJ	280.0 NJ					
1H-Cycloprop[e]azulene, deca						190.0 NJ					
1H-cycloprop[e]azulene, 1a,2		· ·			100.0 NJ		150.0 NJ				
2(1H)-naphthalene, 4a,5,6,		 .			••		610.0 NJ		••		
2(1H)-phenanthrenone, 3,4,4A				, 		710.0 NJ					
4H-cyclopenta[def]phenanthre		110.0 NJ		••		280.0 NJ					
8-Hexadecyne							530.0 NJ				
Anthracene, 2-methyl-		••		130.0 NJ	160.0 NJ	140.0 NJ					
Aspidofractinine, 3-methylen	••			94.0 NJ	••	••	••	[]			
Azulene, 1,2,3,4,5,6,7,8-oct						3	250.0 NJ				
Benzo[a]pyrene				••	280.0 NJ						
Benzo[k]fluoranthene	<u></u> ÿ		·	· ·	500.0 NJ	·					
Butanoic acid, 3-hydroxy-, M			<u>:</u>	•	••	350.0 NJ					
Chrysene, 6-methyl-					97.0 NJ		`				
Cycloheptane, methyl-				••			380.0 NJ				
Cyclopropa[d]naphthalen-2(4a							370.0 NJ				
				330.0 NJ			370.0 NJ				
Docosane				330.0 NJ	 						
Dodecane, 2,6,10-trimethyl-							270.0 NJ	}			
Ether, methyl 1-tetradecenyl		••			530.0 NJ						
Fluoranthene		••		·-	130.0 NJ						
Hexadecanoic acid					••	420.0 NJ					
Hexatriacontane				170.0 NJ		••					
Lycopodan-5-one, 12-hydroxy-		••			230.0 NJ						
Naphthalene, 2- (phenylmethyl	•••					570.0 NJ					
Naphthalene, 2-phenyl-				98.0 NJ	100.0 NJ	, 		·			
Nonacosane						3500.0 NJ					
Nonadecane	j			260.0 NJ							
Nonadecanol	′					420.0 NJ	 				
Octadecanal	••					3030.0 NJ					
Oxirane, hexadecyl-	140.0 NJ			1640.0 NJ	510.0 NJ	7480.0 NJ	150.0 NJ	·			
Oxirane, tetradecyl-		190.0 NJ			••			l			
Pentadecanal					·		96.0 NJ				
Pentane, 1,1'-oxybis-					••	600.0 NJ		·			
Pentatriacontane	 			<u>.</u>		3660.0 NJ					
		. :						l			
Phenanthrene, 2,5-dimethyl-					330.0 NJ						
Phenanthrene, 3-methyl-				· ••	130.0 NJ						
Pyrene, 1-methyl-				••	254.0 NJ				••		
Tetratetracontane	•				770.0 NJ	300.0 NJ					
							4400 11				
Tetratriacontane					460.0 NJ	••	110.0 NJ		••		
			 		460.0 NJ 150.0 NJ		110.0 NJ	-			

ILO NUMBER 0000343	71			TABLE 8 / SAMPLE SUMM Residential Wells					
SAMPLING POINT	G201 11/28/2000 (Background)	G202 11/28/2000	G203 11/29/2000	G204 11/29/2000	G205 11/29/2000	G206 11/29/2000	G207 11/29/2000	TACO Tier 1 Class 1 Groundwater	MCL's
PARAMETER								1	•
VOLATILES									
Vinyl Chloride	••						0.6 J	2.0	
1,1-Dichloroethane					••		2.0	700.0	
Chloroform						••	0.7 J	0.02	
cis-1,2-Dichlorethene Trichloroethene					1.0	1.0	11.0 0.8 J	70.0 5.0	
rachioroetherie	 ug/L	ug/L	 ug/L	 ug/L	ug/L	ug/L	ug/L	ug/L	5 ug/L
SEMIVOLATILES								1	
None detected									••
110110 40100104	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
PESTICIDES									
None detected									
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INORGANICS								1	
Cadmium			0.3 M					5.0	5.0
Copper	14.1					75.8		650.0	
Iron	18.2 BJ			'		416.0		5000.0	1000.0
Lead			2.0 MD			20.0 D		7.5	
Manganese	0.9 M 1.3 MB				 5.0 BJ	22.9	45.9	150.0	150.0
Nickel PH	1.3 MB 				5.0 BJ			100.0	100.0
***	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

TACO values are based on the Illinois Environmental Protection Agency's Tiered Approach to Corrective Action Objectives. The objectives presented in this table are based on Tier 1 Groundwater Remediation Objectives for the Groundwater Component of the Groundwater Ingestion Route.

TABLE 9 Soil/Sediment samples 1994 CERCLA Inspection

Sample Date Time	<u>Depth</u>	Location	<u>Appearance</u>
X101 11/03/94 15:45	2" to 4"	Background sample collected at Blackhawk Park, located approximately 1.4 miles north of the Rockford Sand and Gravel property.	Black organic loam.
<u>X102</u> 11/03/94 12:50	3" to 6"	Collected 143 feet north and 11 feet west of the northeast corner of the Laidlaw property.	Black, cinders and dark soil.
X103 11/03/94 12:20	6" to 12"	Collected 105 feet west and 94 feet south of monitoring well G104.	Black loam with garbage.
<u>X104</u> 11/03/94 11:30	12" to 24"	Collected approximately 656 feet east of the west side of the Laidlaw fence and approximately 440 feet north of Simpson Road.	Black silty sand.
X105 X106 11/03/94 10:30	2" to 6'	Collected 84 feet west of monitoring well G101 and 60 feet south of the fence along the north edge of the property. Duplicate sample X106 also collected at this location.	Brown silty sand.
X107 11/03/94 10:10	8" to 12"	Collected approximately 87 feet south of monitoring well G106/G107, along the west end of thicket.	Brown sandy clay to 8"; brown sand, some clay to 12".
<u>X108</u> 11/03/94 09:10 AM	8" to 12"	Collected approximately 173 feet south of monitoring well G105, along the west end of thicket.	Brown/black sandy clay.
<u>X201</u> 11/03/94 15:30	1" to 4"	Collected along the Rock River at Blackhawk Park, approximately 1.4 miles north of the Rockford Sand and Gravel property, 202 feet south of the boat ramp.	Black sandy clay.
X202 X203 11/03/94 08:40	0" to 4"	Sample X202 and duplicate X203 collected along the Rock River approximately 212 feet north of Simpson Road.	Black/brown sandy silt.
<u>X204</u> 11/03/94 07:50	0" to 3"	Collected along the Rock River approximately 79 feet north of the southwest corner of the north island located east of Rockford Sand and Gravel Number 2.	Black/brown sandy silt.

TABLE 10 Groundwater Sample Description 1994 CERCLA Inspection

ł			
Sample Date Time	<u>Depth</u>	Location	<u>Appearance</u>
G201 G202 11/03/94 13:40	75 feet	Background sample G201 and duplicate G202 was obtained from a residential well located approximately 400 feet north of the Rockford Sand and Gravel property. Sample was not split with consultants.	Clear, no odor.
G101 11/02/94 12:50	49.9 feet	Monitoring well located near the northeast corner of the property. Sample split with consultants.	Cloudy, no odor.
<u>G102</u> 11/02/94 17:00	36.8 feet	Monitoring well located near the southeast corner of the property. Sample split.	Cloudy, no odor.
<u>G103</u> 11/02/94 09:50	64.9 feet	Monitoring well located near the northwest corner of the property, approximately 250 feet north of Laidlaw and 150 feet east of South Main Street. Sample split.	Cloudy, no odor.
<u>G104</u> 11/02/94 11:15	34.5 feet	Monitoring well located near he north edge of the property approximately halfway between the west and east borders of the property. Sample split.	Cloudy, no odor.
<u>G105</u> 11/02/94 15:50	26.9 feet	Monitoring well located approximately 350 feet north of the southeast corner of the property. Sample split.	Cloudy, no odor.
<u>G106</u> <u>G107</u> 11/02/94 14:40	25.6 feet	Monitoring well located near the eastern edge of he property, approximately halfway between the north and south borders of the property. Duplicate sample G107 was also obtained at this location. Sample split.	Cloudy, no odor.

SITE NAME: ROCKFORD SAND ILO NUMBER: 000034371	& GRAVEL				TABLE 11 Key Samples CERCLA Inspection (Soil)			
SAMPLING POINT	X101 11-3-94	X102 11-3-94	X103 11-3-94	X104 11-3-94	X105 11-3-94	X106 11-3-94	X107 11-3-94	X108 11-3-94
PARAMETER	(Background)	11-0-94	11-3-34	11-0-04	11-0-04	11-0-34	11-0-54	11004
VOLATILES								
Acetone	12.00 U		39.00 B					
	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
SEMIVOLATILES								
Phenanthrene	260.00 J	1000.00						1300.00
Anthracene	50.00 J	230.00 J	••					260.00
Fluoranthene	_ 380.00 J	1800.00	1200.00					2500.00
Pyrene	420.00	2100.00	1200.00				 	2400.00
Benzo(a)anthracene	420.00 240.00 J	960.00						1500.00
						 .		
Chrysene	230.00 J	770.00	**					1200.00
Benzo(b)fluoranthene	200.00 J	-		••		'		1800.00
Benzo(k)fluoranthene	200.00 J	1500.00	1100.00	820.00	980.00	770.00	630.00	
Benzo(a)pyrene	180.00 J	560.00	**					900.00
Indeno(1,2,3-cd)pyrene	120.00 J		••		370.00 J			1000.00
Benzo(g,h,i)perylene	140.00 J		420.00				••	980.00
	ug/Kg	ug/Kg	ug/Kg	ug/Kg .	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Phytol Stigmast-4-en-3-one Naphthalene, 1-methyl- Benzo(b)naphtho(2,1-d]thioph 7H-Benz(de)anthracen-7-one Benzo(e)pyrene		 			·· · · · · · · · · · · · · · · · · · ·	160.00 NJ 460.00 NJ 	78.00 NJ	310.00 240.00 950.00
DECTIONES.	ид/Кд	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ид/Кд	ug/Kg	ug/Kg
PESTICIDES								
Endosulfan I	2.00 U		2.10 P	6.90				
Dieldrin	3.90 U				••			5.20
4,4'-DDE	3.90 U		7.40 DJ		••			
	3.90 U		6.20 JPD					
Endrin	2.00.11		21.00 DJ	11.00 JPD				15.00
Endrin Endosulfan sulfate	3.90 U				80.00 PD			
	6.90 P	23.00 P	••					
Endosulfan sulfate		23.00 P	7.60 P			••		
Endosulfan sulfate Endrin aldehyde	6.90 P							
Endosulfan sulfate Endrin aldehyde 4,4'-DDT	6.90 P 3.90 U	 	7.60 P					
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone	6.90 P 3.90 U 3.90 U		7.60 P 5.30 P	 				
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane	6.90 P 3.90 U 3.90 U 2.00 U	 ਜ਼	7.60 P 5.30 P 3.00	 6.00	, 	 '	 	
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U	 g 	7.60 P 5.30 P 3.00 2.10 P	6.00 6.80 P	 	 	 	
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg	 g 	7.60 P 5.30 P 3.00 2.10 P	6.00 6.80 P	 	 	 	
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg	፡- ፡፡ ፡፡ ug/Kg	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg	, ug/Kg	 ' ug/Kg	 ug/Kg	 ug/Kg
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane INORGANICS Arsenic Calcium	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg 2.50	 ug/Kg 85200.00	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg 58100.00	, ug/Kg	 ' ug/Kg 	 ug/Kg	 ug/Kg 8.90
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane INORGANICS Arsenic Calcium Lead	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg 2.50 11100.00 24.80	 ug/Kg 85200.00 141.00	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg	 ug/Kg 57700.00	 ug/Kg 	 ug/Kg 	 ug/Kg 8.90
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane INORGANICS Arsenic Calcium Lead Magnesium	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg 2.50 11100.00 24.80 6370.00	 ug/Kg 85200.00 141.00 43000.00	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg 58100.00 32300.00	, , , ug/Kg 57700.00	 ug/Kg 	 ug/Kg 	 ug/Kg 8.90
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane INORGANICS Arsenic Calcium Lead Magnesium Sodium	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg 2.50 11100.00 24.80 6370.00 49.80 B	 	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg 58100.00 32300.00 228.00 B	, , , ug/Kg 57700.00	 ug/Kg 	 ug/Kg 	 ug/Kg 8.90
Endosulfan sulfate Endrin aldehyde 4,4'-DDT Endrin Ketone alpha-Chlorodane gamma-Chlorodane INORGANICS Arsenic Calcium Lead Magnesium	6.90 P 3.90 U 3.90 U 2.00 U 2.00 U ug/Kg 2.50 11100.00 24.80 6370.00	 ug/Kg 85200.00 141.00 43000.00	7.60 P 5.30 P 3.00 2.10 P ug/Kg	 6.00 6.80 P ug/Kg 58100.00 32300.00	, , , ug/Kg 57700.00	 ug/Kg 	 ug/Kg 	 ug/Kg 8.90

				
SITE NAME: ROCKFORD S ILO NUMBER: 000034371	SAND & GRAVEL		TABLE 12	
			Key Samples	
		199	4 CERCLA Inspection	
			(Sediment)	
CAMPIUNO BOINT	V004	V000	V000	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
SAMPLING POINT	X201 11-3-94	X202 11-3-94	X203 11-3-94	X204 11-3-94
 PARAMETER	(Background)	11-3-94	11-3-94	11-3-94
TATAMETER	(Dackground)			
VOLATILES				
NONE DETECTED				
051411/01/4711/50				
SEMIVOLATILES				
Anthracene	150.00			
Benzo(k)fluoranthene	420.00 U	860.00		
Benzo(a)pyrene	610.00	••	· ,	
Benzo(g,h,i)perylene	380.00			
	ug/Kg	ug/Kg	ug/Kg	ug/Kg
TENTATIVELY IDENTIFIED	COMPOUNDS			
gamma Citostorol		2100.00 NJ	2600.00 NJ	
.gammaSitosterol Sulfur, mol. (S8)		4000.00 NJ	4000.00 NJ	7400.00 NJ
Phytol	 	4000.00 110	410.00 NJ	7400.00 113
Stigmast-4-en-3-one			1300.00 NJ	
2-Pentanone, 4-hydroxy-4	14000.00 NJA			
Benzo[e]pyrene	, 920.00 NJ		550.00 NJ	300.00 NJ
	ug/Kg	ug/Kg	••••	ug/Kg
		5 5		
PESTICIDES				
Endrin	4.40 U	`	6.50 JPD	11.00 JPD
Endosulfan sulfate	11.00 JPD		19.00 JPD	35.00 JPD
4,4'-DDT	4.40 U	4.60 P		
	ug/Kg	ug/Kg		ug/Kg
INORGANICS	į			
			•	
Cadmium	1.60	_ _	7.90	
Selenium	0.98 U		•• ,	2.30
Silver	0.53 U		0.74 B	
Cyanide	0.66 U	1.70		
·	mg/Kg	mg/Kg	mg/Kg	mg/Kg

								**
SITE NAME: ROCKFORD SAI ILO NUMBER: 000034371	ND & GRAVEL		199	TABLE 13 Key Sample 4 CERCLA In:	es spection			
				(Groundwat	er)			
SAMPLING POINT	G201 11-2-94	G101 11-2-94	G102 11-2-94	G103 11-2-94	G104 11-2-94	G105 11-2-94	G106 11-2-94	G107 11-2-94
PARAMETER	(Background)							
VOLATILES								
1,1-Dichloroethane	1.00 U :		8.00 J			2		
1,2-Dichloroethene(total)	1.00 U		3.00 J			·		
,	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
SEMIVOLATILES								
bis(2-Ethylhexyl)phthalate	2.00 J	34.00 B	35.00 B			56.00 B		150.00 BD
Indeno(1,2,3-cd)pyrene	5.00 U	34.00 B						6.00 JD
Benzo(g,h,i)perylene	5.00 U							6.00 JD
20.120(g ₁ .1,1,7p0.1)10.110	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
TENTATIVELY IDENTIFIED CO								
	1							
Caprolactum	'		10.00 NJ			43.00 NJ	24.00 NJ	120.00 NJD
2(3H)-Benzothiazolone			7.00 NJ				7.00 NJ	7.00 NJ
Sulfur, mol. (S8)			9.00 NJ				120.00 NJ	97.00 NJ
Ether, sec-butyl isopropyl					5.00 NJ			
Benzene, 1,4-dichloro-	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	4.00 NJ ug/L	5.00 NJ ug/L
PESTICIDES	NONE DETECTE	ED.						
INORGANICS								
Aluminum	80.00 U	263.00	144.00 B	222.00	152.00 B	_		<u></u>
Arsenic	2.00 U		14.50				23.60	21.50
Barium	73.00		255.00		247.00	275.00	249.00	245.00
Cadmium	0.20 U					4.50 B		
Iron	101.00		6350.00			857.00	6230.00	6180.00
Manganese	6.00		196.00		1090.00	2030.00	260.00	256.00
Potassium	5000.00 U		41400.00	 41.40				
Zinc	40.00 U	 ug/L	ug/L	41.40 ug/L	 ug/L	ug/L	ug/L	 ug/L
	*	agr L	ug/L	ug/ L	uyr	ugri	ugru	uy L

APPENDIX A

SITE 4-MILE RADIUS MAP

ROCKFORD SAND and GRAVEL

SDMS US EPA Region V

Imagery Insert Form

Some images in this document may be illegible or unavailable in SDMS. Please see reason(s) indicated below:

Illegible due to bad source documents. Image(s) in SDMS is equivalent to hard copy.
Specify Type of Document(s) / Comment
Confidential Business Information (CBI). This document contains highly sensitive information. Due to confidentiality, materials with such information are not available in SDMS. You may contact the EPA Superfund Records Manager if you wish to view this document. Specify Type of Document(s) / Comment
Unscannable Material: Oversized X or Format. Due to certain scanning equipment capability limitations, the document page(s) is not available in SDMS. The original document is available for viewing at the Superfund Records center. Specify Type of Document(s) / Comment
4-MILE RADIUS MAP
Other:

APPENDIX B

15-MILE SURFACE WATER MAP

ROCKFORD SAND and GRAVEL

SDMS US EPA Region V

Imagery Insert Form

Some images in this document may be illegible or unavailable in SDMS. Please see reason(s) indicated below:

1	Illegible due to bad source documents. Image(s) in SDMS is equivalent to hard copy.
	Specify Type of Document(s) / Comment
	Confidential Business Information (CBI). This document contains highly sensitive information. Due to confidentiality, materials with such information are not available in SDMS. You may contact the EPA Superfund Records Manager if you wish to view this document.
	Specify Type of Document(s) / Comment
	Unscannable Material: Oversized X or Format. Due to certain scanning equipment capability limitations, the document page(s) is not available in SDMS. The original document is available for viewing at the Superfund Records center. Specify Type of Document(s) / Comment
	15-MILE SURFACE WATER MAP
1	Other:
11	

APPENDIX C

TARGET COMPOUND LIST AND DATA QUALIFIERS.

ROCKFORD SAND and GRAVEL

TARGET COMPOUND LIST

Volatile Target Compounds

Chloromethane	1,2-Dichloropropane
Bromomethane	cis-1,3-Dichloropropene
Vinyl Chlorde	Trichloroethene
Chloroethane	Dibromochloromethane
Methylene Chloride	1,1,2-Trichloroethane
Acetone	Benzene
Carbon Disulfide	trans-1,3-Dichloropropene
1,1-Dichloroethene	Bromoform
1,1-Dichloroethane	4-Methyl-2-pentanone
1,2-Dichloroehtene (total)	2-Hexanone
Chloroform	Tetrachloroethene
1,2-Dichloroethane	1,1,2,2-Tetrachloroethane
2-Butanone	Toluene
1,1,1-Trichloroethane	Chlorobenzene
Carbon Tetrachloride	Ethylbenzene
Vinyl Acetate	Styrene
Bromodichloromethane	Xylenes (total)

Base/Neutral Target Compounds

Hexachloroethane	2,4-Dinitrotoluene		
bis(2-Chloroethyl) Ether	Diethylphthalate		
Benzyl Alcohol	N-Nitrosodiphenylamine		
bis (2-Chloroisopropyl) Ether	Hexachlorobenzene		
N-Nitroso-Di-n-Propylamine	Phenanthrene		
Nitrobenzene	4-Bromophenyl-phenylether		
Hexachlorobutadiene	Anthracene		

2-Methylnaphthalene	Di-n-Butylphthalate
1,2,4-Trichlorobenzene	Fluoranthene
Isophorone	Pyrene
Naphthalene	Butylbenzylphthalate
4-Chloroaniline	bis(2-Ethylhexyl)Phthalate
bis(2-chloroethoxy)Methane	Chrysene
Hexachlorocyclopentadiene	Benzo(a)Anthracene
2-Chloronaphthalene	3-3'-Dichlorobenzidene
2-Nitroaniline	Di-n-Octyl Phthalate
Acenaphthylene	Benzo(b)Fluoranthene
3-Nitroaniline	Benzo(k)Fluoranthene
Acenaphthene	Benzo(a)Pyrene
Dibenzofuran	Ideno(1,2,3-cd)Pyrene
Dimethyl Phthalate	Dibenz(a,h)Anthracene
2,6-Dinitrotoluene	Benzo(g,h,i)Perylene
Fluorene	1,2-Dichlorobenzene
4-Nitroaniline	1,3-Dichlorobenzene
4-Chlorophenyl-phenylether	1,4-Dichlorobenzene

Acid Target Compounds

Benzoic Acid	2,4,6-Trichlorophenol
Phenol	2,4,5-Trichlorophenol
2-Chlorophenol	4-Chloro-3-methylphenol
2-Nitrophenol	2,4-Dinitrophenol
2-Methylphenol	2-Methyl-4,6-dinitrophenol
2,4-Dimethylphenol	Pentachlorophenol
4-Methylphenol	4-Nitrophenol
2,4-Dichlorophenol	

Pesticide/PCB Target Compounds

alpha-BHC	Endrin Ketone
beta-BHC	Endosulfan Sulfate
delta-BHC	Methoxychlor
gamma-BHC (Lindane)	alpha-Chlordane
Heptachlor	gamma-Chlordane
Aldrin	Toxaphene
Heptachlor epoxide	Aroclor-1016
Endosulfan I	Aroclor-1221
4,4'-DDE	Aroclor-1232
Dieldrin	Aroclor-1242
Endrin	Aroclor-1248
4,4'-DDD	Aroclor-1254
Endosulfan II	Aroclor-1260
4,4'-DDT	

Inorganic Target Compounds

Aluminum	Manganese
Antimony	Mercury
Arsenic	Nickel
Banum	Potassium
Beryllium	Selenium
Cadmium	Silver
Calcium	Sodium
Chromium	Thallium
Cobolt	Vanadium
Copper	Zinc
Iron	Cyanide
Lead	Sulfide
Magnesium	

DATA QUALIFIERS

QUALIFIER	DEFINITION ORGANICS	DEFINITION INORGANICS
U	Compound was tested for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture. For soil samples subjected to GPC clean-up procedures, the CRQL is also multiplied by two to account for the fact that only half of the extract is recovered.	Analyte was analyzed for but not detected.
J	Estimated value. Used when estimating a concentration for tentatively identified compounds (TICS) where a 1:1 response is assumed or when the mass spectral data indicate the presence of a compound that meets the identification criteria and the result is less than the sample quantitation limit but greater than zero. Used in data validation when the quality control data indicate that a value may not be accurate.	Estimated value. Used in data validation when the quality control data indicate that a value may not be accurate.
C	This flag applies to pesticide results where the identification is confirmed by GC/MS.	Method qualifier indicates analysis by the Manual Spectrophotometric method.
В	Analyte was found in the associated blank as well as in the sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action.	The reported value is less than the CRDL but greater than the instrument detection limit (IDL).
D .	Identifies all compounds identified in an analysis at a secondary dilution factor. If a sample or extract is reanalyzed at a higher dilution factor as in the "E" flag, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values are flagged with the "D" flag.	Not used.
E	Identifies compounds whose concentrations exceed the calibration range for that specific analysis. All extracts containing compounds exceeding the calibration range must be diluted and analyzed again. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses must be reported on separate Forms I. The Form I for the diluted sample must have the "DL" suffix appended to the sample number.	The reported value is estimated because of the presence of interference.
A	This flag indicates that a TIC is a suspected aldol concentration product formed by the reaction of the solvents used to process the sample in the laboratory.	Method qualifier indicates analysis by Flame Atomic Absorption (AA).
М	Not used.	Duplicate injection (a QC parameter not met).


١	N	Not used	Spiked sample (a QC parameter not met).
s	5	Not used.	The reported value was determined by the Method of Standard Additions (MSA).
. v	N	Not used.	Post digestion spike for Furnace AA analysis (a QC parameter) is out of control limits of 85% to 115% recovery, while sample absorbance is less than 50% of spike absorbance.
•		Not used.	Duplicate analysis (a QC parameter not within control limits).
+		Not used.	Correlation coefficient for MSA (a QC parameter) is less than 0.995.
• Р	,	Not used.	Method qualifier indicates analysis by ICP (Inductively Coupled Plasma) Spectroscopy.
С	CV .	Not used.	Method qualifier indicates analysis by Cold Vapor AA.
А	\V	Not used.	Method qualifier indicates analysis by Automated Cold Vapor AA.
А	AS .	Not used.	Method qualifier indicates analysis by Semi-Automated Cold Spectrophotometry.
• т		Not used.	Method qualifier indicates Titrimetric analysis.
N	IR	The analyte was not required to be analyzed.	The analyte was not required to be analyzed.
R		Rejected data. The QC parameters indicate that the data is not usable for any purpose.	Rejected data. The QC parameters indicate that the data is not usable for any purpose.

APPENDIX D

IEPA SITE PHOTOGRAPHS

ROCKFORD SAND and GRAVEL





APPENDIX E

ANALYTICAL RESULTS (Volume 2)

ROCKFORD SAND and GRAVEL

TIME: 11:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
East.

Photo Number 1.

Sample G201/G202.

is a background

and duplicate

drinking water

sample.

DATE: 11-28-2000

TIME: 11:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 2.

Sample G201/G202.

The sample was

collected from an

87 feet deep well

at a trailer park

.8 mile south.





TIME: 11:40 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
West.

Photo Number 3.


Sample X105 was

collected onsite

in the southeast

area of the

property.



TIME: 10:40

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
North.

Photo Number 4.


Sample X105. The

sample was collect-

ed with the Geo-

Probe at a depth

of 18 to 20 feet.





TIME: 13:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
West.

Photo Number 5.

Sample X104 was

collected at the

east-central area

of the property.

DATE: 11-28-2000

TIME: 13:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
North.

Photo Number 6.

Sample X104. The

sample was collect-

ed with the Geo-

Probe at a depth

of 2 to 8 feet.





TIME: 15:30 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
North.

Photo Number 7.

Sample X103 was

collected near the

north-central area

of the property.

DATE: 11-28-2000

TIME: 15:30

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 8.


Sample X103. The

sample was collect-

ed with the Geo-

Probe at a depth

of 16 to 20 feet.





TIME: 16:30 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
South.


Photo Number 9.

Sample X106 was

collected near the

northwestern area

of the property.



TIME: 16:30

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
East.

Photo Number 10.

Sample X106. The

sample was collect-

ed with the Geo-

Probe at a depth

of 8 to 12 feet.





TIME: 9:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
West.

Photo Number 11.


Sample G204 was

collected at a

private residence

west of the site.

(Note: time on photo is incorrect)



TIME: 10:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN
BY: R. Casper

COMMENTS: Picture taken toward:
West.

Photo Number 12.


Sample G203 was

collected at a

private residence

located west of

the site.



TIME: 10:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 13.

Sample G203. The

sample was collect-

ed from an outside

tap after water

parameters had

stabilized.





DATE: 11-29-2000

SITE ILO#: 000034371

COUNTY: Winnebago

TIME: 9:45

SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
North.


Photo Number 14.

Sample X107 was

collected at the

southwestern area

of the property.



DATE: 11-29-2000

TIME: 9:45

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 15.

Sample X107. The

sample was collect-

ed at a depth of

6 to 8 feet.



DATE: 11-29-2000

SITE ILO#: 000034371

COUNTY: Winnebago

TIME: 11:00

SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
East.

Photo Number 16.

Sample G207 was

collected from a

private residence

located north of

the site.



DATE: 11-29-2000

TIME: 11:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
West.

Photo Number 17.

Sample G207. The

sample was collect-

ed from an outside

tap after water

parameters had

stabilized.



DATE: 11-29-2000 SITE ILO#: 000034371 COUNTY: Winnebago

TIME: 11:30 SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward: South.

Photo Number 18.

Sample G206 was

collected from an

inside tap from a

residence located

north of the site.



DATE: 11-29-2000

TIME: 12:15

PHOTOGRAPH TAKEN

BY: R. CASPER

COMMENTS: Picture taken toward:

East.

Photo Number 19.

Sample G205 was

collected from an

inside tap from a

private residence

located north of

the site.



TIME: 13:15 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
North.

Photo Number 20.

Sediment sample

X203 was collected

from the east side

of the property in

the Rock River.



DATE: 11-29-2000

TIME: 13:15

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 21.


Sample X203. The

sample consisted

of sand, gravel

and some silt col-

lected at a depth



DATE: 11-29-2000 SITE ILO#: 000034371 COUNTY: Winnebago

TIME: 13:35 SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward: South.

Photo Number 22.

Sediment sample

X204 was collected

from the east side

of the property in

the Rock River.

DATE: 11-29-2000

TIME: 13:35

PHOTOGRAPH TAKEN

BY: R. CASPER

COMMENTS: Picture taken toward: East.

Photo Number 23.


Sample X204. The


sample consisted

of black silt with

organic matter col-

lected at a depth





TIME: 14:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
East.

Photo Number 24.

Sediment sample

X205 was collected

from the east side

of the property in

the Rock River.



DATE: 11-29-2000

TIME: 14:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 25.

Sample X205. The

sample consisted

of black silt with

organic matter col-

lected at a depth



DATE: 11-29-2000 SITE ILO#: 000034371 COUNTY: Winnebago

SITE NAME: Rockford Sand & Gravel TIME: 14:30

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward: East.

Photo Number 26.


Sediment sample

X206 was collected

from the east side

of the property in

the Rock River.



TIME: 14:30

PHOTOGRAPH TAKEN

BY: R. CASPER

COMMENTS: Picture taken toward:

South.

Photo Number 27.


Sample X206. The

sample consisted

of black silt with

organic matter col-

lected at a depth





TIME: 15:00 | SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
South.

Photo Number 28.


Sediment sample

X207 was collected

from the east side

of the property in

the Rock River.



DATE: 11-29-2000

TIME: 15:00

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
East.

Photo Number 29.

Sample X207. The

sample consisted

of grey sand and

gravel /w silt col-

lected at a depth



TIME: 15:40 SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
South.


Photo Number 30.

Sediment sample

X201/X202 is a

background and

duplicate sample.



DATE: 11-29-2000

TIME: 15:40

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 31.

Sample X201/X202.

The sample was

collected from

Blackhawk Park,

located approx. 1.4

miles north of site



DATE: 11-29-2000 | S:

SITE ILO#: 000034371

COUNTY: Winnebago

TIME: 15:50

SITE NAME: Rockford Sand & Gravel

PHOTOGRAPH TAKEN BY: R. Casper

COMMENTS: Picture taken toward:
East.

Photo Number 32.

Soil sample

X101/X102 is a

background and

duplicate sample.



DATE: 11-29-2000

TIME: 15:50

PHOTOGRAPH TAKEN BY: R. CASPER

COMMENTS: Picture taken toward:
South.

Photo Number 33.

Sample X101/X102.

The sample was

collected from

Blackhawk Park,

located approx. 1.4

iles north of site

